


July 2014
Epi slides

TARGETS FOR ENDING THE AIDS EPIDEMIC BY 2030


We aim to bring the HIV epidemic under control so that it no longer represents a public health threat to any population or country.



reduction in new
HIV infections




reduction in stigma
and discrimination




reduction in
AIDS-related deaths

The importance of location and population



Source: UNAIDS


Adult HIV transmission rate in low- and middle-income countries with high and low antiretroviral therapy coverage, 2013



Source: UNAIDS

2014 epidemiology graphs and charts


AIDS deaths, globally, 2013



Source: UNAIDS







2014 epidemiology graphs and charts

Number of people receiving antiretroviral therapy newly added during 2010-2013



Source: UNAIDS

2014 epidemiology graphs and charts



Source: UNAIDS

2013 global and regional statistics

	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
People living with HIV	29.8 million [28.1-31.9 million]	30.7 million [29.0-32.7 million]	31.4 million [29.7-33.3 million]	31.8 million [30.2-33.7 million]	32.1 million [30.5-34.0 million]	32.4 million [30.8-34.3 million]	32.7 million [31.2-34.6 million]	33.1 million [31.5-34.9 million]	33.4 million [31.8-35.2 million]	33.8 million [32.2-35.6 million]	34.2 million [32.5-36.2 million]	34.6 million [32.8-36.6 million]	35.0 million [33.2-37.2 million]
New HIV Infections (Total)	3.4 mill. [3.3-3.6 million]	3.3 million [3.1-3.5 million]	3.1 million [3.0-3.3 million]	3.0 million [2.8-3.2 million]	2.9 million [2.7-3.1 million]	2.8 million [2.6-3.0 million]	2.7 million [2.5-2.9 million]	2.6 million [2.4-2.8 million]	2.5 million [2.3-2.7 million]	2.5 million [2.3-2.7 million]	2.4 million [2.2-2.6 million]	2.2 million [2.0-2.5 million]	2.1 million [1.9-2.4 million]
New HIV infections (adults)	2.9 million [2.7-3.0 million]	2.7 million [2.5-2.9 million]	2.6 million [2.4-2.7 million]	2.4 million [2.3-2.6 million]	2.3 million [2.2-2.5 million]	2.2 million [2.1-2.4 million]	2.2 million [2.1-2.4 million]	2.2 million [2.0-2.3 million]	2.1 million [1.9-2.3 million]	2.1 million [1.9-2.3 million]	2.1 million [1.9-2.3 million]	2.0 million [1.8-2.2 million]	1.9 million [1.7-2.1 million]
New infections (children)	580 000 [530 000–640 000]	580 000 [540 000–640 000]	580 000 [540 000–630 000]	570 000 [520 000–620 000]	550 000 [510 000–600 000]	520 000 [480 000–580 000]	490 000 [450 000–540 000]	460 000 [420 000–510 000]	400 000 [370 000–450 000]	360 000 [330 000–400 000]	330 000 [290 000–370 000]	270 000 [240 000–310 000]	240 000 [210 000–280 000]
AIDS-related deaths	2.0 million [1.8-2.2 million]	2.1 million [2.0-2.4 million]	2.3 million [2.1-2.5 million]	2.4 million [2.2-2.6 million]	2.4 million [2.2-2.6 million]	2.3 million [2.1-2.5 million]	2.2 million [2.0-2.4 million]	2.1 million [1.9-2.3 million]	2.0 million [1.8-2.1 million]	1.9 million [1.8-2.1 million]	1.8 million [1.7–2.0 million]	1.7 million [1.5-1.8 million]	1.5 million [1.4-1.7 million]
People accessing treatment									5.2 million	7.4 million	9.0 million	10.6 million	12.9 million
Resources		US\$ 3.8 billion	US\$ 4.6 billion	US\$ 5.7 billion	US\$ 7.4 billion	US\$ 8.8 billion	US\$ 10.5 billion	US\$ 14.6 billion	US\$ 15.5 billion	US\$ 15.6 billion	US\$ 17.1 billion	US\$ 18.9 billion	US\$ 19.1 billion

Source: UNAIDS

2013 global and regional statistics *

Region	People living with HIV 2013		New HIV infections 2013		AIDS-related deaths 2013 (total)
	total	children	total	children	
Sub-Saharan Africa	24.7 million [23.5 million–26.1 million]	2.9 million [2.6 million–3.2 million]	1.5 million [1.3 million–1.6 million]	210 000 [180 000–250 000]	1.1 million [1.0 million–1.3 million]
Asia and the Pacific	4.8 million [4.1 million–5.5 million]	210 000 [190 000–270 000]	350 000 [250 000–510 000]	22 000 [18 000–32 000]	250 000 [210 000–290 000]
Latin America	1.6 million [1.4 million–2.1 million]	35 000 [27 000–54 000]	94 000 [71 000–170 000]	1800 [<1000–7400]	47 000 [39 000–75 000]
Western and Central Europe and North America	2.3 million [2.0 million–3.0 million]	2800 [2300–3600]	88 000 [44 000–160 000]	<500 [<200–<500]	27 000 [23 000–34 000]
Eastern Europe and Central Asia	1.1 million [980 000–1.3 million]	14 000 [13 000–14 000]	110 000 [86 000–130 000]	<1000 [<1000–1200]	53 000 [43 000–69 000]
Caribbean	250 000 [230 000–280 000]	17 000 [14 000–20 000]	12 000 [9400–14 000]	<1000 [<500–<1000]	11 000 [8300–14 000]
Middle East and North Africa	230 000 [160 000–330 000]	16 000 [11 000–22 000]	25 000 [14 000–41 000]	2300 [1500–3400]	15 000 [10 000–21 000]
Global	35 million [33.2 million–37.2 million]	3.2 million [2.9 million–3.5 million]	2.1 million [1.9 million–2.4 million]	240 000 [210 000–280 000]	1.5 million [1.4 million–1.7 million]

*Some numbers may not add up due to rounding

Source: UNAIDS



Global summary of the AIDS epidemic | 2013

Number of people living with HIV	Total	35.0 million [33.2 million – 37.2 million]
	Adults	31.8 million [30.1 million – 33.7 million]
	Women	16.0 million [15.2 million – 16.9 million]
	Children (<15 years)	3.2 million [2.9 million – 3.5 million]

People newly infected with HIV in 2013	Total	2.1 million [1.9 million – 2.4 million]
	Adults	1.9 million [1.7 million – 2.1 million]
	Children (<15 years)	240 000 [210 000 – 280 000]

AIDS deaths in 2013	Total	1.5 million [1.4 million – 1.7 million]
	Adults	1.3 million [1.2 million – 1.5 million]
	Children (<15 years)	190 000 [170 000 – 220 000]

Global estimates for adults and children | 2013

People living with HIV 35.0 million [33.2 million – 37.2 million]

New HIV infections in 2013 2.1 million [1.9 million – 2.4 million]

Deaths due to AIDS in 2013 1.5 million [1.4 million – 1.7 million]

Regional HIV and AIDS statistics and features | 2013


	Adults and children living with HIV	Adults and children newly infected with HIV	Adult prevalence (15–49) [%]	Adult & child deaths due to AIDS
Sub-Saharan Africa	24.7 million [23.5 million – 26.1 million]	1.5 million [1.3 million – 1.6 million]	4.7% [4.4% – 4.9%]	1.1 million [1.0 million – 1.3 million]
Middle East and North Africa	230 000 [160 000 – 330 000]	25 000 [14 000 – 41 000]	0.1% [<0.1% – 0.2%]	15 000 [10 000 – 21 000]
Asia and the Pacific	4.8 million [4.1 million – 5.5 million]	350 000 [250 000 – 510 000]	0.2% [0.2% – 0.2%]	250 000 [210 000 – 290 000]
Latin America	1.6 million [1.4 million – 2.1 million]	94 000 [71 000 – 170 000]	0.4% [0.4% – 0.6%]	47 000 [39 000 – 75 000]
Caribbean	250 000 [230 000 – 280 000]	12 000 [9400 – 14 000]	1.1% [0.9% – 1.2%]	11 000 [8300 – 14 000]
Eastern Europe and Central Asia	1.1 million [980 000 – 1.3 million]	110 000 [86 000 – 130 000]	0.6% [0.6% – 0.8%]	53 000 [43 000 – 69 000]
Western and Central Europe and North America	2 300 000 [2.0 million – 3.0 million]	88 000 [44 000 – 160 000]	0.3% [0.3% – 0.5%]	27 000 [23 000 – 34 000]
TOTAL	35.0 million [33.2 million – 37.2 million]	2.1 million [1.9 million – 2.4 million]	0.8% [0.7% - 0.8%]	1.5 million [1.4 million – 1.7 million]

The ranges around the estimates in this table define the boundaries within which the actual numbers lie, based on the best available information.

Source: UNAIDS




Adults and children estimated to be living with HIV | 2013



Total: 35.0 million [33.2 million – 37.2 million]

Source: UNAIDS


Estimated number of adults and children newly infected with HIV | 2013



Total: 2.1 million [1.9 million – 2.4 million]

Source: UNAIDS


Estimated adult and child deaths from AIDS | 2013



Total: 1.5 million [1.4 million – 1.7 million]

Source: UNAIDS

Children (<15 years) estimated to be living with HIV | 2013




Total: 3.2 million [2.9 million – 3.5 million]

Source: UNAIDS




Estimated number of children (<15 years) newly infected with HIV | 2013



Total: 240 000 [210 000 - 280 000]

Source: UNAIDS

Estimated deaths in children (<15 years) from AIDS | 2013



Total: 190 000 [170 000 – 220 000]

Source: UNAIDS

About 6,000 new HIV infections a day in 2013

- **About 68% are in Sub Saharan Africa**
- **About 700 are in children under 15 years of age**
- **About 5,200 are in adults aged 15 years and older, of whom:**
 - almost 47% are among women
 - about 33% are among young people (15-24)

2013 global HIV and AIDS estimates


Children (<15 years)

Children living with HIV 3.2 million [2.9 million – 3.5 million]

New HIV infections in 2013 240 000 [210 000 – 280 000]

Deaths due to AIDS in 2013 190 000 [170 000 – 220 000]


Number of people¹ receiving antiretroviral therapy newly added during 2010-2013



The number is reported as a percentage of all people living with HIV to allow for comparison between countries, over time, because the eligibility criteria for antiretroviral therapy have changed over time and within countries.


Source: UNAIDS

Increase in number of people with TB receiving antiretroviral therapy in 10 countries that represent more than 80% of the global number of HIV-positive people with TB




Source: WHO

People living with HIV by country, 2013




Source: UNAIDS

Proportion of new HIV infections by country, 2013



Source: UNAIDS


AIDS deaths, globally, 2013



Source: UNAIDS

Change in funding for civil society organizations for human rights-related work

The majority of survey respondents reported experiencing decreases in funds for HIV and human rights work in 2012 and 2013



Source: UNAIDS